191 - Giulietta 1.4 Turbo MultiAir LUBRICANTS 2.5.1

| 191 - Giulietta 1.4 Turbo MuttiAli LOBRICANTO 2.5.1 | | | | | | | | |
|--|---|-----------------------|--|---|--|---|----------|--|
| | | | 1.4 Turbo | | | | | |
| | 1.4 Turbo Petrol | 1.4 Turbo MultiAir | MultiAir 170 HPTCT | 1750 Turbo Petrol | 1.4 Turbo Petrol 120 HP LPG | 1.6 JTDm | 2.0 JTDm | 2.0 JTDm 170 HP TCT |
| Engine oil (*) | SELENIA StAR P.E Contractual Technical Reference No. F603.D08 - SAE 5W-40 ACEA C3 - FIAT 9.55535-S2 | | | SELENIA SPORT POWER - Contractual Technical Reference No. F052.H12 - SAE 5W-40 ACEA C3 - FIAT 9.55535-GH2 | SELENIA MULTIPOWER GAS 5W-40 (Contractual Technical Reference No. F922.E09) - SAE 5W-40 ACEA C3 - FIAT 9.55535- T2 | SELENIA WR P.E Contractual Technical Reference No. F510.D07 - SAE 5W-30 - FIAT 9.55535-S1 | | |
| Gearbox/differential fluid | TUTELA TRANSMISSION GEARFORCE Contractual Technical Reference No. F002.F10 - SAE 75W - FIAT 9.55550-MZ6 | | | | | | | |
| Air conditioning compressor oil | RL-897 | | | | | | | |
| Twin clutch transmission electro-hydraulic actuator oil | - | - | TUTELA CAR CS SPEED - Contractual Technical Reference No. F005.F98 - | - | - | - | - | TUTELA CAR CS SPEED - Contractual Technical Reference No. F005.F98 - |

Contents Page 2 of 3

| | FIAT 9.55550-SA1 | | FIAT 9.55550-SA |
|--|---------------------|--|--------------------|
| | 0.00000 07 (1 | | 10.00000 0 |

^(*) For diesel engines 1.6 MJet and 2.0 MJet, in the event of an emergency in which the original products are not available, lubricants with at least ACEA C2 performance are acceptable; however, in this case optimal engine performance is not guaranteed and the lubricant should be replaced as soon as possible.

MY 2013 VERSIONS

| | 1.4 Turbo Petrol | 1.4 Turbo Petrol LPG | 1.4 Turbo MultiAir | 1750 Turbo Petrol | 1.6 JTDm | 2.0 JTDm |
|---------------------------------|---|-------------------------|---|--|--|----------|
| Engine oil | SELENIA SELENIA K P.E Contractual Technical Reference No. F603.D08 - SAE 5W-40 ACEA C3 - FIAT 9.55535-S2 SELENIA MULTIPOWER GAS 5W-40 Contractual Technical Reference No. F922.E09 SAE 5W-40 ACEA C3 FIAT 9.55535-T2 | | SELENIA DIGITEK P.E Contractual Technical Reference No. F020.B12 - SAE 0W-30 ACEA C2 - FIAT 9.55535-GS1 | SELENIA SPORT POWER - Contractual Technical Reference No. F052.H12 - SAE 5W-40 ACEA C3 - FIAT 9.55535-GH2 | SELENIA WR FORWARD - Contractual Technical Reference No. F842.F13 - SAE 0W-30 ACEA C2 - FIAT 9.55538 DS1 | |
| Gearbox/differential fluid | TUTELA TRANSMISSION GEARFORCE Contractual Technical Reference No. F002.F10 - SAE 75W - FIAT 9.55550-MZ6 | | | | | |
| Air conditioning compressor oil | RL-897 | | | | | |

The use of products with specifications below ACEA C3 - SAE 5W-40 standards for petrol engines and ACEA C2 standards for 1.6 MJet and 2.0 MJet diesel engines may cause damage to the engine not covered under the warranty.

Contents Page 3 of 3

| Twin clutch transmission electro-hydraulic actuator oil | TUTELA CAR CS SPEED - Contractual Technical Reference No. F005.F98 - FIAT 9.55550-SA1 (*) | TUTELA CAR CS SPEED - Contractual Technical Reference No. F005.F98 - FIAT 9.55550-SA1 (*) | TUTELA CAR CS SPEED - Contractual Technical Reference No. F005.F98 - FIAT 9.55550-SA1 (*) |
|--|---|---|---|
|--|---|---|---|

(*) For TCT versions

In the event of an emergency, if lubricants with the prescribed specifications are not available, products with the minimum indicated ACEA performance can be used for topping up; in this case optimal performance of the engine is not guaranteed.



The use of products with specifications other than those indicated above could cause damage to the engine not covered by the warranty.